



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/539,286

06/16/2005

Paul Stephen Stacey

540-571

2638

23117

7590

09/18/2008

NIXON & VANDERHYE, PC  
901 NORTH GLEBE ROAD, 11TH FLOOR  
ARLINGTON, VA 22203

EXAMINER

HAUTH, GALEN H

ART UNIT

PAPER NUMBER

1791

MAIL DATE

DELIVERY MODE

09/18/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/539,286	STACEY ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	GALEN HAUTH	1791	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 27 August 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-9 and 12-17 is/are pending in the application.
- 4a) Of the above claim(s) 1-7 and 12 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 8,9 and 13-17 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>06/16/2005</u> .  | 6) <input type="checkbox"/> Other: _____                          |

**DETAILED ACTION**

***Election/Restrictions***

1. Applicant's election with traverse of claims 8, 9, and 13-17 in the reply filed on 08/27/2008 is acknowledged. The traversal is on the ground(s) that the reference cited in the restriction filed 07/28/2008 of Charbonnet (PN 5209881) does not teach the special technical feature of the two groups defined in the restriction requirement. This is not found persuasive because the special technical feature as defined in the previous action is the curing of a composite article in a temperature controlled vessel while monitoring the temperature of at least a part of the article with a remote infrared temperature sensor. Applicant argues that the teaching by Charbonnet of "an infrared pyrometer" that is 12 to 18 inches away from the article does not meet the claim language of a "infrared temperature measuring device located remotely from the component." The examiner believes that the teaching by Charbonnet does in fact meet the claim language as a pyrometer is a temperature measuring device.

The requirement is still deemed proper and is therefore made FINAL.

***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 1791

3. Claims 8, 9, 13, and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Charbonnet (PN 5209881).

a. With regards to claim 8, Charbonnet teaches a method for curing composite articles in which the article is placed in a temperature controlled oven (vessel) and cures the material while monitoring the temperature of the oven with at least one infrared pyrometer sensor (abstract). Charbonnet teaches that the pyrometer is at a distance of twelve to eighteen inches from the article (col 3 In 20-24, the examiner is interpreting the distance away from the article to satisfy the claim limitation of being remote from the article.)

b. With regards to claim 9, Charbonnet teaches that sensors may be connected to meter or gauges and their individual outputs correlated to panel temperature (col 4 In 33-35, due to Charbonnet using a moving oven this corresponds to having a constant curing temperature at certain points in the oven rather than a constant temperature throughout the oven.) Charbonnet teaches that it is desirable to keep the gelation point in a specific spot within the oven (col 3 In 54-56, given this it would follow that the gelation point is a specific temperature which means that Charbonnet is controlling the oven to have a constant cure temperature.)

c. With regards to claim 13, Charbonnet teaches a method for curing composite articles in which the article is placed in a temperature controlled oven (vessel) and cures the material while monitoring the temperature of the oven with at least one infrared pyrometer sensor (abstract). Charbonnet teaches that the

Art Unit: 1791

pyrometer is at a distance of twelve to eighteen inches from the article (col 3 In 20-24, the examiner is interpreting the distance away from the article to satisfy the claim limitation of being remote from the article.) Charbonnet teaches that sensors may be connected to meter or gauges and their individual outputs correlated to panel temperature (col 4 In 33-35, due to Charbonnet using a moving oven this corresponds to having a constant curing temperature at certain points in the oven rather than a constant temperature throughout the oven.) Charbonnet teaches that it is desirable to keep the gelation point in a specific spot within the oven (col 3 In 54-56, given this it would follow that the gelation point is a specific temperature which means that Charbonnet is controlling the oven to have a constant cure temperature.)

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

6. Claims 14 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Charbonnet (PN 5209881) as applied to claim 13 above, and further in view of Whipple et al. (PN 6132084).

a. With regards to claim 14, Charbonnet as applied to claim 13 above teaches a method for curing a composite material by placing the material in an oven that is temperature controlled by infrared devices to maintain consistency over the oven to cure the material. Charbonnet does not teach that the infrared device is located outside of the vessel.

b. Whipple teaches a infrared non-contact self calibrating measurement device (abstract). Whipple teaches that the invention provides for non-contact temperature measurements of objects being disposed in a chamber of an appliance with means of transmitted infrared radiation in a scan pattern and detection for accurate temperature measurements thereof and makes use of already present components to reduce complexity (col 12 ln 38-54). Whipple teaches that the device is located outside of the chamber of the oven (col 2 ln 32-33). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the scanning infrared radiation system outside of the vessel as taught by Whipple in the process taught by Charbonnet, because the Whipple system provides improved responsive non-contact measurement (col 2 ln 50-60) while scanning across all areas of the chamber (col 5 ln 46-50).

c. With regards to claim 17, Charbonnet as applied to claim 13 above teaches a method for curing a composite material by placing the material in an

Art Unit: 1791

oven that is temperature controlled by infrared devices to maintain consistency over the oven to cure the material. Charbonnet does not teach that the temperature across the whole of the material is measured.

d. Whipple teaches a infrared non-contact self calibrating measurement device (abstract). Whipple teaches that the invention provides for non-contact temperature measurements of objects being disposed in a chamber of an appliance with means of transmitted infrared radiation in a scan pattern and detection for accurate temperature measurements thereof and makes use of already present components to reduce complexity (col 12 ln 38-54). Whipple teaches that the device is located outside of the chamber of the oven (col 2 ln 32-33). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the scanning infrared radiation system outside of the vessel as taught by Whipple in the process taught by Charbonnet, because the Whipple system provides improved responsive non-contact measurement (col 2 ln 50-60) while scanning across all areas of the chamber (col 5 ln 46-50).

7. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Charbonnet as applied to claim 13 above.

With regards to claim 15, Charbonnet as applied to claim 13 above teaches a method for curing a composite material by placing the material in an oven that is temperature controlled by infrared devices to maintain consistency over the oven to cure the material. Charbonnet does not teach that the material is cured in an autoclave; however, it would have been obvious to one of ordinary skill in the art

Art Unit: 1791

to use an autoclave in the process of Charbonnet as an autoclave and an oven are obvious substitutions for each other in the fiber reinforced composite industry.

8. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Charbonnet as applied to claim 13 above, and further in view of Schenck et al. (PN 4463437)

a. With regards to claim 16, Charbonnet as applied to claim 13 above teaches a method for curing a composite material by placing the material in an oven that is temperature controlled by infrared devices to maintain consistency over the oven to cure the material. Charbonnet does not teach that the infrared device is a camera.

b. Schenck teaches the use of an infrared camera system to better enable surface temperature measurements in hot processes (abstract). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the infrared camera system of Schenck as the infrared sensor of Charbonnet, because Schenck teaches that the camera system provides automatic acquisition, validation, and preprocessing of thermal images from the camera, defines and extracts key features of thermal images, reports, retrieves, and archives data.

9. Claims 8, 9, 13, 14, 15, and 17 rejected under 35 U.S.C. 103(a) as being unpatentable over Handel et al. (PN 5345397) in view of Whipple et al. (PN 6132084).



Art Unit: 1791

- a. With regards to claim 8, Handel teaches a method for curing fiber reinforced composite material by placing the material in a temperature controlled vessel and curing the material (abstract). Handel does not teach that the control system comprises an infrared device remote from the material.
- b. Whipple teaches a infrared non-contact self calibrating measurement device (abstract). Whipple teaches that the invention provides for non-contact temperature measurements of objects being disposed in a chamber of an appliance with means of transmitted infrared radiation in a scan pattern and detection for accurate temperature measurements thereof and makes use of already present components to reduce complexity (col 12 ln 38-54). Whipple teaches that the device is located outside of the chamber of the oven (col 2 ln 32-33). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the scanning infrared radiation system outside of the vessel as taught by Whipple in the process taught by Handel, because the Whipple system provides improved responsive non-contact measurement (col 2 ln 50-60) while scanning across all areas of the chamber (col 5 ln 46-50).
- c. With regards to claim 9, Handel teaches maintaining a constant temperature (abstract).
- d. With regards to claim 13, Handel teaches a method for curing fiber reinforced composite material by placing the material in a temperature controlled vessel and curing the material at a constant temperature (abstract). Handel does

Art Unit: 1791

not teach that the control system comprises an infrared device remote from the material.

e. Whipple teaches a infrared non-contact self calibrating measurement device (abstract). Whipple teaches that the invention provides for non-contact temperature measurements of objects being disposed in a chamber of an appliance with means of transmitted infrared radiation in a scan pattern and detection for accurate temperature measurements thereof and makes use of already present components to reduce complexity (col 12 ln 38-54). Whipple teaches that the device is located outside of the chamber of the oven (col 2 ln 32-33). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the scanning infrared radiation system outside of the vessel as taught by Whipple in the process taught by Handel, because the Whipple system provides improved responsive non-contact measurement (col 2 ln 50-60) while scanning across all areas of the chamber (col 5 ln 46-50).

f. With regards to claim 14, Whipple teaches that the device is located outside of the chamber of the oven (col 2 ln 32-33).

g. With regards to claim 15, Handel teaches that the vessel is an autoclave (abstract).

h. With regards to claim 17, Whipple teaches scanning across all areas of the chamber (col 5 ln 46-50, by scanning across all areas of the chamber the entire whole of the material is monitored.)

Art Unit: 1791

10. Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Handel et al. (PN 5345397) in view of Whipple et al. (PN 6132084) as applied to claim 13 above, and further in view of Schenck et al. (PN 4463437).

a. With regards to claim 16, Handel in view of Whipple as applied to claim 13 above teaches a method for curing a composite material by placing the material in an autoclave that is temperature controlled by infrared devices to maintain temperature in the autoclave to cure the material. Handel in view of Whipple does not teach that the infrared device is a camera.

b. Schenck teaches the use of an infrared camera system to better enable surface temperature measurements in hot processes (abstract). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the infrared camera system of Schenck as the infrared sensor of Handel in view of Whipple, because Schenck teaches that the camera system provides automatic acquisition, validation, and preprocessing of thermal images from the camera, defines and extracts key features of thermal images, reports, retrieves, and archives data.

### ***Conclusion***

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to GALEN HAUTH whose telephone number is (571)270-5516. The examiner can normally be reached on Monday to Thursday 8:30am-5:00pm ET.

Art Unit: 1791

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on (571)272-1176. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/GHH/

/Christina Johnson/  
Supervisory Patent Examiner, Art Unit 1791